



RECEIVED
JAN 07 2003
TECH CENTER 1600/2900

REMARKS

Applicants in their prior Amendment of claim 4 inadvertently deleted the definition of R¹⁵. This Amendment reinserts this definition and is not new matter.

Favorable consideration and allowance of claims 1-19 and 25-31 is respectfully requested.

If any additional fees are incurred as a result of the filing of this paper, authorization is given to charge deposit account number 23-0785.

Respectfully submitted,

By: Martin L. Katz
Martin L. Katz (Reg. No. 25,011)
Attorney for Applicant

WOOD, PHILLIPS, KATZ, CLARK & MORTIMER
500 MADISON STREET, SUITE 3800
CHICAGO, IL 60661
(312) 876-1800

CERTIFICATE OF MAILING


I hereby certify that this Supplemental Amendment is being deposited with the U.S. Postal Service via First Class Mail to: Commissioner for Patents, Washington, DC 20231 on December 31, 2002.

Kim Annel
Kim Annel

MARKED UP VERSION OF CLAIMS

Please amend claim 4 as follows:

4. (twice amended) A compound of the structure



wherein Y , at each occurrence, is independently selected from the group consisting of $C(O)$, N , CR^1 , $C(R^2)(R^3)$, NR^5 and CH ;

q is an integer of from 3 to 6;

T is $(CH_2)_b$ wherein b is an integer of 0 to 2;

L is $(CH_2)_n$ wherein n is an integer of 0 or 1;

W is selected from the group consisting of C and CR^{15} ;

B is H or alkyl;

R^1 at each occurrence is independently selected from the group consisting of

hydrogen, halogen, alkyl, alkoxy, $-CF_3$, $-NH_2$, $-OH$, $NHC(O)N(C_1-C_3 \text{ alkyl})$, $-NHSO_2(C_1-C_3 \text{ alkyl})$, alkylamino, $di(C_1-C_3 \text{ alkyl})$ amino, cycloalkyl, aryl, arylamino, heterocyclyl and sulfonamido;

R^1 and R^3 are hydrogen;

R^4 is selected from the group consisting of

hydrogen, alkyl, aryl, biaryl, heterocyclyl, alkylaryl, aralkyl, heterocyclylalkyl and alkylheterocyclyl;

R^5 at each occurrence is independently selected from the group consisting of alkyl, cycloalkyl, cycloalkylalkyl, aryl, aralkyl, heterocyclylalkyl, heterocyclyl and aryloxyalkyl;

R^6 and R^7 are independently hydrogen or alkyl;

RECEIVED
JAN 07 2003
SER 1600/2900

R^9 and R^{10} are independently selected from the group consisting of
hydrogen, alkyl and halogen; and

R^{15} is hydrogen;

wherein B, R^1 , R^2 , R^3 , R^4 , R^5 , R^6 , R^7 , R^9 , R^{10} and R^{15} are unsubstituted or
substituted with at least one electron donating or electron withdrawing
group;

and wherein when at least one Y is CR^1 , R^1 and R^6 taken together
may form a ring;

or a pharmaceutically acceptable salt thereof.